

Patent Application: 10/668,336  
Docket No: P18033US2

**Amendments in the Claims:**

1. **(Currently Amended)** A method for setting up a prepaid quota for a prepaid subscriber in a Packet Data Access Node (PDAN), the method comprising the steps of:
- a. determining by the PDAN that a connection for a prepaid subscriber, the connection involving at least one auxiliary service instance associated with a given service option, is requested;
  - 5 [b. receiving by the PDAN an indication from a Home Authorization, Authentication, and Accounting Prepaid Server functionality (HAAA/PPS) that a connection with the prepaid subscriber can support at least one auxiliary service instance;]
  - b. responsive to the [receipt of the indication] determination, requesting by the PDAN from [the] an Accounting Prepaid Server (HAAA/PPS) a prepaid quota relative to the at least one auxiliary service
  - 10 instance;
  - c. receiving by the PDAN the prepaid quota from the HAAA/PPS; and
  - d. pre-installing the prepaid quota for the at least one auxiliary service instance in the PDAN.
2. **(Original)** The method of claim 1, wherein the method is performed responsive to a Registration request message sent from the prepaid subscriber to the PDAN.
3. **(Original)** The method of claim 1, wherein the indication also specifies that a profile of the prepaid subscriber includes a subscription to one or more particular service options.
4. **(Original)** The method claimed in claim 3, wherein the PDAN is a CDMA2000 Packet Data Service Node (PDSN) and the prepaid subscriber is a CDMA2000 subscriber.
5. **(Original)** The method claimed in claim 4, wherein the one or more service options includes service option 60.
6. **(Original)** The method claimed in claim 4, wherein the one or more service options includes service option 61.
7. **(Original)** The method of claim 4, wherein the PDSN receives the indication in a RADIUS Access Accept message sent by the HAAA/PPS.

Patent Application: 10/668,336  
Docket No: P18033US2

8. (Currently Amended) A Packet Data Access Node (PDAN) adapted to determine that a connection for a prepaid subscriber, the connection involving at least one auxiliary service instance associated with a given service option, is requested; [receive from a Home Authorization, Authentication, and Accounting Prepaid Server functionality (HAAA/PPS) an indication that a connection with a prepaid subscriber can support at least one auxiliary service instance] and responsive to the [receipt of the indication] determination, acting to request from [the[ an Accounting Prepaid Server (HAAA/PPS) a prepaid quota relative to the at least one service instance, and when receiving the prepaid quota from the HAAA/PPS, acting to pre-install the prepaid quota for the at least one auxiliary service instance relative to the prepaid subscriber.

9. (Original) The PDAN of claim 8, wherein the PDAN receives a Registration request message from the prepaid subscriber, and signals the HAAA/PPS for authenticating and authorizing the prepaid subscriber prior to receiving the indication.

10. (Original) The PDAN of claim 8, wherein the indication also specifies that a profile of the prepaid subscriber includes a subscription to one or more particular service options.

11. (Original) The PDAN claimed in claim 10, wherein the PDAN is a CDMA2000 Packet Data Service Node (PDSN) and the prepaid subscriber is a CDMA2000 subscriber.

12. (Original) The PDSN claimed in claim 11, wherein the one or more service options includes service option 60.

13. (Original) The PDSN claimed in claim 11, wherein the one or more service options includes service option 61.

14. (Original) The PDSN of claim 11, wherein the PDSN receives the indication in a RADIUS Access Accept message sent by the HAAA/PPS.

Patent Application: 10/668,336  
Docket No: P18033US2

**15. (Currently amended)** A packet data system comprising:

a prepaid terminal;

a Packet Data Access Node (PDAN) serving the a prepaid terminal; and

a Home Authorization, Authentication, and Accounting Prepaid Server functionality (HAAA/PPS)

storing a prepaid subscription and a profile of the prepaid terminal;

wherein when the PDAN [receives an indication from the HAAA/PPS] determines that a connection with the prepaid subscriber can support at least one auxiliary service instance, the PDAN requests from the HAAA/PPS a prepaid quota relative to the at least one auxiliary service instance, and when the PDAN receives the prepaid quota from the HAAA/PPS, the PDAN pre-installs the prepaid quota for the at least one auxiliary service instance.

**16. (Original)** The packet data system of claim 15, wherein the prepaid terminal first sends a Registration request message to the PDAN.

**17. (Original)** The packet data system of claim 15, wherein the indication also specifies that the profile of the prepaid subscriber includes a subscription one or more particular service options.

**18. (Original)** The packet data system claimed in claim 17, wherein the PDAN is a CDMA2000 Packet Data Service Node (PDSN) and the prepaid subscriber is a CDMA2000 subscriber.

**19. (Original)** The packet data system claimed in claim 18, wherein the one or more service options include service option 60.

**20. (Original)** The packet data system claimed in claim 18, wherein the one or more service options include service option 61.

**21. (Original)** The packet data system of claim 18, wherein the PDSN receives the indication in a RADIUS Access Accept message sent by the HAAA/PPS.

**22. (New)** The method of claim 1, wherein step a. comprises the steps of:

a.1. receiving by the PDAN an indication from the HAAA/PPS that a connection with the prepaid subscriber can support the at least one auxiliary service instance.

**23. (New)** The PDAN of claim 9, wherein the PDAN is adapted to receive an indication from the HAAA/PPS that a connection with the prepaid subscriber can support the at least one auxiliary service instance.